



Husqvarna LC 140SP

LC 140SP is a self-propelled and easy to use mower, suitable for somewhat smaller lawns. Built with a robust steel cutting deck and a reliable, easy-start Husqvarna engine offering great cutting and collection performance. Soft-grip handle, foldable handlebar, central cutting height adjustment and ball-bearing wheels will give you both an ergonomic and comfortable cutting experience.



Central cutting height adjustment

Quick and easy adjustment of the grass cutting height. One lever controls the whole deck.



Easy grip for lifting in the front

Easy grip for lifting into storage, the car or carrying up stairs.

Ergonomic handle

Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.



Foldable handle

For simplified storage and transport.



FEATURES

- Ergonomic handle
 - Easy grip for lifting in the front
- Central cutting height adjustment
 - Foldable handle

Technical Specifications	
BATTERY	
Battery capacity	0 Ah
Battery type	--
CAPACITY	
Net power at preset rpm	3000 rpm
Power output	1.95 kW
Power rating	1950 W
DIMENSIONS	
Article gross weight	33000 g
Article net weight	29100 g
Collector volume	50 l
Cutting width	40 cm
Cylinder displacement	123 cm³
Handle height adjustment	2 Step
Weight	26.8 kg
Wheel size, Front	152 mm
Wheel size, Rear	203 mm
Wheelbase	55.5 cm
ENGINE	
Cylinder displacement	123 cm³
Electrode gap	0.75 mm
Engine brand	Husqvarna
Engine cooling	Air
Engine name	HS 123A
Fuel tank volume	0.9 l
Spark plug	Husqvarna HQT-7
EQUIPMENT	
Air filter type	Foam
Ball beared wheels	Yes
BioClip® kit	Not available as accessory (NOT AVAILABLE)
BioClip® plug	Not included
Blade brake clutch (BBC)	No
Blade type	Collect
Collector	Included
Collector type	Fabric with dust blocker
Collector volume	50 l
Deck Wash Port	No
Deflector	No
Drive control	Bail arm
Drive system	Self-propelled, single speed
Drive wheels	Rear
Foldable handle	Yes
Handle type	Ergonomic
Lawnmower drive type	Self-propelled
Side adjustable handle	No
Soft grip	Yes
Throttle control	No
Water hose connection	No
Wheel bearing, front/rear	Yes/Yes
Connectivity	Not applicable
LUBRICANTS	
Engine lubrication type	Splash
Fuel consumption	402 g/kWh
Fuel consumption	0.019 l/min
Power/fuel type	Petrol
MATERIAL	
Cutting deck material	Steel
Master pack: Paper + Cardboard	0 g
Metal total	10 g
Paper + Cardboard total	3640 g
PE total	21 g
PET total	0 g
Plastic foil	15 g
Plastic rigid	6 g
Plastic total	21 g
PS/EPS/HIPS total	0 g
Rims, material	Plastic
PACKAGING	
Packaging height	480 mm
Packaging length	775 mm
Packaging volume	190 dm³
Packaging width	510 mm

Technical Specifications	
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	95 dB(A)
Sound power level, measured	93 dB(A)
Sound pressure level at operators ear	81 dB(A)
VIBRATION	
Vibrations handlebar	7.6 m/s²