



## Husqvarna LC137i with battery and charger

Husqvarna LC 137i is an intuitive and easy to use battery lawn mower, perfect for cutting small sized lawns or for trimming complex areas. This small and lightweight mower allows you to mow your garden quickly and quietly in a single charge. Due to its compact deck and ergonomic handle it's easy to manoeuvre and steer even around small places. The easily folded and adjustable handlebar and two integrated lifting handles make the mower easy to store or transport, leaving a small footprint when folded. Compatible with Husqvarna 36V battery system. Kit includes QC80 and Bli20.



### Central cutting height adjustment

Quick and easy adjustment of the grass cutting height. One lever controls the whole deck.



### Lifting handle front and rear

Easy grip in front and rear for lifting into storage, the car or carrying up stairs.

### Ergonomic handle

Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.



### Foldable handle

For simplified storage and transportation.



## FEATURES

- Ergonomic handle
- Lifting handle front and rear
- Central cutting height adjustment
- Foldable handle for easy storage and transportation
- The low noise provides a comfortable work situation and low disturbance for others.
- PowerBoost - extra power when needed
- Choose savE™ mode for maximum runtime
- Start the lawnmower by removing the bailstop and pulling the bail down and stop the engine by letting go
- Product folds really flat, taking up minimal storage space
- This product does not emit CO<sub>2</sub> emissions during use.

| Technical Specifications              |                          |
|---------------------------------------|--------------------------|
| <b>BATTERY</b>                        |                          |
| Battery capacity                      | 4.0 Ah                   |
| Battery charger                       | QC 80, 80W / 220V        |
| Battery                               | BLi20, 36V / 4.0Ah       |
| Battery type                          | Lithium Ion              |
| Battery voltage                       | 36 V                     |
| <b>CAPACITY</b>                       |                          |
| Net power at preset rpm               | 3200 rpm                 |
| Power output                          | 0.5 kW                   |
| <b>DIMENSIONS</b>                     |                          |
| Article gross weight                  | 21000 g                  |
| Article net weight                    | 18500 g                  |
| Collector volume                      | 40 l                     |
| Cutting width                         | 37.5 cm                  |
| Handle height adjustment              | 2 Step                   |
| Weight                                | 15 kg                    |
| Wheel size, Front                     | 178 mm                   |
| Wheel size, Rear                      | 203 mm                   |
| Wheelbase                             | 54 cm                    |
| <b>EQUIPMENT</b>                      |                          |
| BioClip® kit                          | Available as accessory   |
| BioClip® plug                         | Not included             |
| Blade type                            | Collect                  |
| Collector                             | Included                 |
| Collector type                        | Fabric with dust blocker |
| Collector volume                      | 40 l                     |
| Deflector                             | No                       |
| Drive control                         | N/A                      |
| Drive system                          | Push                     |
| Drive wheels                          | N/A                      |
| Foldable handle                       | Yes                      |
| Handle type                           | Ergonomic                |
| Lawnmower drive type                  | Push mowers              |
| Side adjustable handle                | No                       |
| Soft grip                             | Yes                      |
| Throttle control                      | No                       |
| Wheel bearing, front/rear             | Yes/Yes                  |
| Connectivity                          | Not applicable           |
| <b>LUBRICANTS</b>                     |                          |
| Power/fuel type                       | Battery                  |
| <b>MATERIAL</b>                       |                          |
| Cutting deck material                 | ABS plastic              |
| Master pack: Paper + Cardboard        | 0 g                      |
| Metal total                           | 0 g                      |
| Paper + Cardboard total               | 3000 g                   |
| PE total                              | 73 g                     |
| PET total                             | 0 g                      |
| Plastic foil                          | 87 g                     |
| Plastic rigid                         | 0 g                      |
| Plastic total                         | 87 g                     |
| PS/EPS/HIPS total                     | 0 g                      |
| Rims, material                        | Plastic                  |
| <b>PACKAGING</b>                      |                          |
| Packaging height                      | 370 mm                   |
| Packaging length                      | 780 mm                   |
| Packaging volume                      | 140 dm <sup>3</sup>      |
| Packaging width                       | 480 mm                   |
| Quantity in Master pack               | 1                        |
| <b>SOUND AND NOISE</b>                |                          |
| Sound power level, guaranteed (LWA)   | 88 dB(A)                 |
| Sound power level, measured           | 87 dB(A)                 |
| Sound pressure level at operators ear | 77 dB(A)                 |
| <b>VIBRATION</b>                      |                          |
| Vibrations handlebar                  | 1.9 m/s <sup>2</sup>     |

