

HUSQVARNA LC 253S

Self-propelled and easy-to-use, high-quality lawnmower suitable for medium-sized gardens. Durable, corrosion-resistant composite chassis and plastic wheels for reducing weight. Powerful and reliable engine for increased performance and less maintenance. Husqvarna LC 253S features ergonomic and easy foldable handlebar, convenient bail removal and easy-adjust cutting height makes every mow simpler. Collect blade leaves less clippings on the lawn for a tidy, professional look.



Easy grip for lifting in the frontEasy grip for lifting into storage, the car or carrying up stairs.



Easy adjustable handleQuick and easy adjustment of the handle in two different heights.

Ergonomic handle Ergonomic angle of the handle in combination with easy to reach bail arms makes operation easy.



Easy central cutting height adjustment

A well balanced one hand grip makes adjustment of cutting height extra easy and convenient.



FEATURES

- Ergonomic handle
- Easy adjustable handle

- Easy grip for lifting in the front
- Easy central cutting height adjustment

Technical Specifications BATTERY	
Battery capacity	O Ah
Battery type	
CAPACITY	
Net power at preset rpm	2900 rpm
Power output	2.75 kW
DIMENSIONS	
Article gross weight	38000 g
Article net weight	34000 g
Collector volume	601
Cutting width Cylinder displacement	53 cm 166 cm ³
Handle height adjustment	2 Step
Weight	31.5 kg
Wheel size, Front	190 mm
Wheel size, Rear	230 mm
Wheelbase	72 cm
ENGINE	
Cylinder displacement	166 cm ³
Electrode gap	0.75 mm
Engine brand Finding cooling	Husqvarna Air
Engine cooling Engine name	HS 166A
Fuel tank volume	11
Spark plug	Husqvarna HQT-7
EQUIPMENT	
Air filter type	Paper
BioClip® kit	Available as accessory
BioClip® plug	Not included
Blade brake clutch (BBC)	No
Blade type	Collect Included
Collector Collector type	Fabric with dust blocker
Collector volume	60 I
Deflector	No
Drive control Prive control	Underbail
Drive system	Self-propelled, single speed
Drive wheels	Rear
Foldable handle	Yes
Handle type Lawnmower drive type	Ergonomic Self-propelled
Side adjustable handle	No No
Soft grip	Yes
Throttle control	No
Water hose connection	No
Wheel bearing, front/rear	Yes/yes
LUBRICANTS	
Engine lubrication type	Splash
Fuel consumption	407 g/kWh
Fuel consumption Oil filter	1.4 l/min
Oil filter Power/fuel type	Yes Petrol
MATERIAL	1 0001
Bail-arm material	Metal
Cutting deck material	Composite
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper	120 g
Paper + Cardboard total	4792 g
PET total	8 g
Plastic foil	0 g
Plastic rigid	8 g 0 g
Plastic total	8g
PS/EPS/HIPS total	0 g
Rims, material	Plastic
PACKAGING	482 mm
Packaging height	
Packaging height Packaging length	1158 mm
Packaging height Packaging length Packaging width	1158 mm 597 mm
Packaging height Packaging length	1158 mm

Technical Specifications	
Sound power level, guaranteed (LWA)	98 dB(A)
Sound power level, measured	97 dB(A)
Sound pressure level at operators ear	87 dB(A)
VIBRATION	
Vibrations handlebar	3.9 m/s ²