



HUSQVARNA R 216T AWD

Efficient versatility and control. This All-Wheel-Drive ride-on lawn mower is ideal for taking care of larger, more challenging lawns. Husqvarna R 216T AWD can be fitted with a 94 cm or 103 cm combi cutting deck for optional BioClip® mulching or rear ejection. All-Wheel-Drive provides traction on slippery, sloping ground, while articulated steering enables tight turns. Adjustable steering wheel and LED lights adds to the premium user experience.



Pivoting rear axle

The rear axle is pivoting to get maximum traction on the drive wheels and a smooth ride also on uneven surfaces.



Hour meter

Helps you having control over service and maintenance intervals.

Adjustable steering wheel

For greater ergonomics and comfort a telescopic steering column lets the steering wheel height to be adjusted.



Four large wheels

16-inch wheels both front and back provide optimal riding comfort, great accessibility and less risk of damaging delicate surfaces.



FEATURES

- Height adjustable steering wheel
- Hour meter
- Pivoting rear axle for maximum traction
- Equally sized wheels for a comfortable ride
- The blades are engaged automatically, when you lower the cutting deck.
- Three-blade cutting deck
- Pedal-operated hydrostatic transmission
- Easy-access cutting height lever
- Easy fuel level check by transparent fuel tank
- Engine behind driver for better overview
- Easy-access storage compartment
- Convenient bottle holder for refreshments.
- The Combi cutting deck offers the versatility of two different cutting systems.
- External fuel cap for easy refueling
- Front-mounted deck for optimum accessibility
- Min. clearance circle by articulated steering
- Comfortable driver's position
- Turn key start
- BioClip® (mulching) mode for frequently cut areas
- LED headlights for improved visibility and safer operation even in darker conditions.
- Tilting hood makes maintenance quick and easy
- Accessories for versatile year-round usage
- All-Wheel Drive secure traction on all areas
- Service position for easy deck maintenance
- With the smart Husqvarna Connect app, you'll have easy access to tips, manuals and spare part recommendations. The app also provides additional information such as runtime and charging status as well as maintenance and service needs.
- Easy-access controls for user comfort

Technical Specifications	
BATTERY	
Battery capacity	24 Ah
Battery manufacturer	Global
Battery pack weight	7.2 kg
Battery type	Lead-Acid
Battery voltage	12 V
Quantity of batteries/battery pack	1 pcs
CAPACITY	
Power output	12 kW
DIMENSIONS	
Article gross weight	297000 g
Article net weight	225000 g
Base machine, height	113 cm
Base machine, length	194 cm
Base machine, width	88 cm
Cutting height steps	10
Ground clearance	85 mm
Gross weight towed	110 kg
Seat back height	Medium
Tyre dimensions, front	170/60-8
Tyre dimensions, rear	170/60-8
Weight	225 kg
Weight (excl. cutting equipment)	225 kg
ENGINE	
Cylinder displacement	586 cm ³
Cylinders	2
Electric start	Yes
Engine cooling	Air
Engine lubrication type	Splash with pressure filtration
Engine name	HV 586AE
Fuel tank volume	12 l
Fuel tank volume	3.17 gal (US)
Motor/engine manufacturer	Husqvarna
Motor/engine model	HV 586AE
Spark plug	Husqvarna HQT-7
EQUIPMENT	
12V outlet	No
Air filter type	Cartridge with pre filter
Blade engagement	Automatic
Cup holder	Yes
Cutting height adjustment	Lever, while seated
Drive method	Dual pedal-operation
Drive system	All-wheel drive
Foldable seat	Yes
Headlights	No
Hinged armrests	Not available
Hour meter type	Digital
Seat adjustment	Tool-less

Technical Specifications	
Seat manufacturer	SEAT Industries
Seat suspension	Yes
Service position	Yes
Wheelbase	89 cm
LUBRICANTS	
Engine lubrication type	Splash with pressure filtration
Fuel consumption	390 g/kWh
Fuel tank volume	12 l
Oil capacity	1.6 l
Oil cooler	No
Oil filter	Yes
Power/fuel type	Gasoline
MATERIALS	
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	0 g
Plastic total	0 g
PS/EPS/HIPS total	0 g
PACKAGING	
Packaging height	1330 mm
Packaging length	2310 mm
Packaging volume	3441 dm ³
Packaging width	1120 mm
Quantity in Master pack	1
EMISSION DATA EU	
Exhaust emissions (CO2 EU V)	778 g/kWh
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	99 dB(A)
Sound power level, measured	98.1 dB(A)
Sound pressure level at operators ear	85.9 dB(A)
VIBRATION	
Vibration level seat	1.9 m/s ²
Vibration level steering wheel	0.29 m/s ²