

Husqvarna Aspire™ T28-P4A with battery and charger

This 18v battery trimmer with dual trimmer line gives perfect edges with high efficiency. Designed for small spaces, storage is made easy with the included hook. The loop handle and telescopic shaft can be adjusted for a comfortable working position. Enjoy smart features like Auto-feed to ensure optimal trimmer line length while working, metal plant guard to protect flower beds and trees and improved safety with the automatic shutdown when left unattended. Part of POWER FOR ALL battery system. The Husqvarna Aspire battery powered tools has been developed with limited space in mind. This is why every product comes with a tailor made storage hook which can be mounted directly on the wall or used with the Husqvarna Aspire Storage Rail system. This tool storage can be extended with all gardening tools alongside the Aspire rail system. This product is part of the POWER FOR ALL ALLIANCE and compatible with numerous other batteries and chargers from participating brands. This means that you only need to buy one battery for all your home and garden products.



POWER FOR ALL ALLIANCE battery system

The Husqvarna Aspire "range is powered by the 18V POWER FOR ALL ALLIANCE battery system. Available in two sizes, these batteries have been optimised for Aspire" tools for improved power efficient runtime and balanced weight. They are also 100% compatible with many leading home and garden brands and their products, giving you greater flexibility to use one battery for more products. Automower Aspire" 14 has a built-in battery and does not use the POWER FOR ALL ALLIANCE battery system.



Compact Storage

Naturally compact and light, the footprint of Husqvarna Aspire™ tools becomes even less thanks to adjustable, foldable, collapsible or detachable parts – for easy storage and transport in tight spaces like small sheds or cars. Using the tailor-made hook included in every package, you can choose to store them directly on the wall or hang on our wall-mounted storage rail, part of the Husqvarna Aspire™ Storage system. Rail accessory sold separately.

Compact Performance

The compact size and low weight of every Husqvarna Aspire™ product improve maneuverability and boasts an impressive amount of Husqvarna innovative technologies – all to increase the machine's capacity and efficiency while consistently delivering great results in your suburban garden.



Intuitive Handling

The sleek black design of the Husqvarna Aspire™ range is complemented by orange details that intuitively guide you to all interaction points. And improved ergonomics, like adjustable handles, and robust materials help you take on any garden project with ease.



FEATURES

- Compact size and low weight and an impressive amount of Husqvarna innovative technologies.
- Made for easy storage with its tailor made hook and compact design.
- Powered by the 18V POWER FOR ALL ALLIANCE battery system.
- The sleek black design complemented by orange details that intuitively guide you to all interaction points
- The soft grip handle ensures maximum comfort while you work
- Telescopic shaft for a comfortable working position and compact storage.

- Shape perfect edges and increase your efficiency thanks to the dual trimmer lines.
- Auto-feed ensures optimal trimmer line length while working.
- Enjoy total control with the digital user interface. Start/ stop button and battery status.
- Low noise levels enable longer working hours and the possibility to work without disturbing your neighbors.
- With the smart Husqvarna Connect app, you'll have easy access to tips, manuals and spare part recommendations.
- This product does not emit CO emissions during use.

Technical Specifications	
BATTERY	
Battery	Yes
Battery charger	P4A 18-C70
Battery pack weight	0.7 kg
Battery type	Lithium Ion
Battery voltage	20 V
Number of batteries included	1
Weight (excl. battery and cutting equipment)	2.4 kg
Weight (excl. battery)	2.4 kg
CAPACITY	2.0 ng
	0000
Maximum power speed	6800 rpm
Maximum rpm output shaft	6800 rpm
Output shaft thread	
DIMENSIONS	
Article gross weight	6020 g
Article net weight	4280 g
Cutting width	28 cm
Tube length	825 mm
Tube diameter	35 mm
Weight (excl. battery)	2.6 kg
ENGINE	
Motor type	PMDC (2 brushed)
EQUIPMENT	
Connected digital function set (calc)	Standard: N/A N/A
Drive gear angle	0°
Gear ratio	2.81
Handle type	5 positions
Output shaft thread	
MATERIALS	
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper	3 g
Paper + Cardboard total	2031 g
PE total	5 g
PET total	0 g
Plastic foil Plastic foil	5 g
Plastic rigid Plastic rigid	0 g
Plastic total	5 g
PS/EPS/HIPS total	0 g
PACKAGING	
Packaging height	207 mm
Packaging length	226 mm
Packaging volume	61 dm³
Packaging width	1304 mm
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	88 dB(A)
Sound power level, measured	85 dB(A)
Sound pressure level at operators ear	73 dB(A)
	` '
VIBRATION	23 m/c²
VIBRATION Daily Vibration (Aeqv)	2.3 m/s ²
VIBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8)	2.3 m/s ²
VIBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8) Daily Vibration Time (Time factor)	2.3 m/s² 0.4 h
VIBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8) Daily Vibration Time (Time factor) Equivalent vibration level (ahv. eq) front handle	2.3 m/s ² 0.4 h 2.26 m/s ²
VIBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8) Daily Vibration Time (Time factor) Equivalent vibration level (ahv. eq) front handle Equivalent vibration level, (ahv. eq), front handle, collapsed	2.3 m/s ² 0.4 h 2.26 m/s ² 2.26 m/s ²
VIBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8) Daily Vibration Time (Time factor) Equivalent vibration level (ahv. eq) front handle Equivalent vibration level, (ahv. eq), front handle, collapsed Equivalent vibration level (ahv. eq) left handle	2.3 m/s ² 0.4 h 2.26 m/s ² 2.26 m/s ² 2.26 m/s ²
ViBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8) Daily Vibration Time (Time factor) Equivalent vibration level (ahv, eq) front handle Equivalent vibration level, (ahv, eq), front handle, collapsed Equivalent vibration level (ahv, eq) left handle Equivalent vibration level (ahv, eq) rear handle	2.3 m/s ² 0.4 h 2.26 m/s ² 2.26 m/s ² 2.26 m/s ² 1.61 m/s ²
VIBRATION Daily Vibration (Aeqv) Daily Vibration Exposure (A8) Daily Vibration Time (Time factor) Equivalent vibration level (ahv. eq) front handle Equivalent vibration level.(ahv. eq), front handle, collapsed Equivalent vibration level (ahv. eq) left handle	2.3 m/s ² 0.4 h 2.26 m/s ² 2.26 m/s ² 2.26 m/s ²

Vibrations handlebar $2.3 \, \text{m/s}^2$

ACCESSORIES









RAIL 536 65 57-01

534 16 21-01

HUSQVARNA ASPIRE™ STORAGE 3-PACK SPOOL AND LINE REFILL PROTECTIVE GLASSES, SUN X 544 96 37-03

GLOVES, TECHNICAL GRIP 529 88 03-07









HUSQVARNA ASPIRE™ P4A 18-B45 970 60 08-01

SPOOL, LINE AND COVER REFILL HUSQVARNA ASPIRE™ P4A 18-534 16 26-01 C70 C70 970 60 10-02

PROTECTIVE GLASSES, CLEAR X 544 96 37-01



HUSQVARNA ASPIRE™ P4A 18-B72 970 60 09-01