



# Husqvarna Aspire™ PE5-P4A with battery and charger

A battery pruning saw to be used with or without extension pole. Easily attach and adjust the pole up to 1.7m. making it easier to reach higher branches. Built on our proven chainsaw expertise, it's robust enough to easily cut branches 75mm wide. Equipped with a soft grip handle with an easy and tool free replacement of chain and bar and improved safety with the automatic shutdown when left unattended. Storage is made easy with the included hook and part of the 18V POWER FOR ALL battery system. Bio Chain oil included in the package (50ml). The Husqvarna Aspire™ battery powered tools has been developed with limited space in mind. This is why every product comes with a tailor made storage hook which can be mounted directly on the wall or used with the Husqvarna Aspire™ Storage Rail system. This tool storage can be extended with all gardening tools alongside the Aspire™ rail system. This product is part of the POWER FOR ALL ALLIANCE and compatible with numerous other batteries and chargers from participating brands. This means that you only need to buy one battery for all your home and garden products.



#### POWER FOR ALL ALLIANCE battery system

The Husqvarna Aspire™ range is powered by the 18V POWER FOR ALL ALLIANCE battery system. Available in two sizes, these batteries have been optimised for Aspire™ tools for improved power, efficient runtime and balanced weight. They are also 100% compatible with many leading home and garden brands and their products, giving you greater flexibility to use one battery for more products. Autornower Aspire™ R4 has a built-in battery and does not use the POWER FOR ALL ALLIANCE hattery system.



## **Compact Storage**

Naturally compact and light, the footprint of Husqvarna Aspire™ tools becomes even less thanks to adjustable, foldable, collapsible or detachable parts – for easy storage and transport in tight spaces like small sheds or cars. Using the tailor-made hook included in every package, you can choose to store them directly on the wall or hang on our wall-mounted storage rail, part of the Husqvarna Aspire™ Storage system. Rail accessory sold separately.



The compact size and low weight of every Husqvarna Aspire™ product improve maneuverability and boasts an impressive amount of Husqvarna innovative technologies – all to increase the machine's capacity and efficiency while consistently delivering great results in your suburban garden.



## Intuitive Handling

The sleek black design of the Husqvarna Aspire™ range is complemented by orange details that intuitively guide you to all interaction points. And improved ergonomics, like adjustable handles, and robust materials help you take on any garden project with ease.



#### **FEATURES**

- Compact size and low weight and an impressive amount of Husqvarna innovative technologies.
- Made for easy storage with its tailor made hook and compact design.
- Powered by the 18V POWER FOR ALL ALLIANCE battery system.
- The sleek black design complemented by orange details that intuitively guide you to all interaction points.
- The soft grip handle ensures maximum comfort while you work
- Enjoy a ladder-free pruning experience when attaching the adjustable telescopic shaft.
- Enjoy total control with the digital user interface. Start/ stop button and battery status.
- Low noise levels enable longer working hours and the possibility to work without disturbing your neighbors.
- With the smart Husqvarna Connect app, you'll have easy access to tips, manuals and spare part recommendations.

BATTERY         Yes           Battery Charger         P4A 18-C70           Battery type         Lithium lon           Battery voltage         18 V           Number of batteries included         1           DIMENSIONS         ************************************		
Battery charger         Yes           Battery to charger         Lithium fon           Battery type         18 V           Battery voltage         18 V           Number of batteries included         1           DIMENSIONS           Table yes weight         6420 g           Article net weight         4910 g           Weight         30 kg           LUBRICANTS         ***           NATERIALS         ***           Master pack Paper + Cardboard         9 g           Mestal total         0 g           Paper Loadboard total         1230 g           Et total         0 g           Paper Loadboard total         108 g           Et total         0 g           Paper Loadboard total         108 g           Et total         0 g           Paper Springer         0 g           PET total         0 g           Plastic total         0 g           Passic rigid         1 m           Packaging height         20 m </th <th>Technical Specifications</th> <th></th>	Technical Specifications	
Battery thanger         PA 1.8-C.70           Battery type         Lithium Ion           Battery votage         18 V           Number of batteries included         1           DIMENSIONS           Trickle gross weight         6420 g           Article net weight         4910 g           Weight         4910 g           CUBRICANTS           Tower/fuel type           MATERIALS           MATERIALS           Master pack Paper + Cardboard         0 g           Metal total         0 g           Paper         3 g           Paper 4 Paper 4 Cardboard total         1 230 g           MET Total         0 g           PET total         0 g           PET total         0 g           PET total         0 g           Plastic rigid         0 g           Plastic rigid         0 g           PS/ERS/HIPS total         0 g           Packaging leight         20 m           Packaging height         20 m           Packaging volume         47 6 m³           Packaging volume         47 6 m³           Packaging width         17 4 mm	BATTERY	
Battery type         Lithium Ion           Battery voltage         18 V           Number of batteries included         1           DIMENSIONS           Article pross weight         6420 g           Article net weight         4910 g           Weight         30 kg           LUBRICANTS         ************************************	Battery	Yes
Battery voltage         18V           Number of batteris included         1           DIMENSIONS	Battery charger	P4A 18-C70
Number of batteries included         1           DIMENSIONS           Article gross weight         6420 g           Article net weight         4910 g           Weight         4910 g           UBRICANTS           Power/fuel type         8atery           MATERIAS           Master pack 'Apper + Cardboard         9 g           Paper Apack 'Apper + Cardboard of total         0 g           Paper F. Cardboard total         1230 g           Pet total         0 9           PEt total         0 9           Plastic foil         0 9           Plastic foil         0 9           Plastic total         0 9           PS/FIS/FIRS total         0 9           PACKAGING           PACKAGING           Packaging height         207 mm           Packaging length         322 mm           Packaging width         174 mm           Quantity in Master pack         174 mm           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, guaranteed (LWA)         88 dB(A)	Battery type	Lithium Ion
DIMENSIONS         6420 g           Article gross weight         6420 g           Article the weight         4910 g           Weight         30 kg           LUBRICANTS         TUBRICANTS           WATERIAS         ***********************************	Battery voltage	18 V
Article gross weight         6420 g           Article the weight         4910 g           Weight         30 kg           LUBRICANTS         ************************************	Number of batteries included	1
Article net weight         4910 g           Weight         30 kg           LUBRICANTS         TO SOURD           Power/fuel type         Battery           MATERIALS         TO SOUR PORTS           Metal total         0 g           Paper         3 g           Paper + Cardboard total         1230 g           Pet total         0 g           PE total         0 g           Plastic foil         0 g           Plastic rigid         0 g           Plastic total         0 g           PS/FES/HES total         0 g           PACKAGING         0 g           Packaging height         20 g           Packaging length         20 g           Packaging unde         47 6 dm²           Packaging width         174 mm           Quantly in Master pack         1           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, evel, even under level, measured         88 dB(A)	DIMENSIONS	
Weight         30 kg           LUBRICANTS           Power/fuel type         Battery           MATERIALS           Master pack Paper + Cardboard         0g           Metal total         0g           Paper         3g           Paper + Cardboard total         1230 g           Pet total         0g           PET total         0g           Plastic foil         0g           Plastic rigid         0g           Pastic rigid         0g           PS/EPS/HIPS total         0g           PS/EPS/HIPS total         0g           PACKAGING           Packaging leight         207 mm           Packaging leight         207 mm           Packaging wilme         47.6 dm³           Packaging wilme         47.6 dm³           Packaging wilme         200 mm           Packaging wilme         200 mm           Packaging wilme         47.6 dm³	Article gross weight	6420 g
LUBRICANTS           Matery           Master pack: Paper + Cardboard         Use of Matery           Master pack: Paper + Cardboard         0 g           Metal total         0 g           Paper         3 g           Paper + Cardboard total         1230 g           Pet total         0 g           PE total         0 g           Plastic foil         0 g           Plastic foil         0 g           Plastic rigid         0 g           PS/EPS/HIPS total         0 g           PACKAGING           Packaging height           Packaging length         207 mm           Packaging volume         476 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND ADD NOISE         Sound power level, guaranted (LIVA)         90 dB(A)           Sound power level, uneasured         80 dB(A)	Article net weight	4910 g
Power/fuel type         Battery           MATERIALS         Comment of the part of	Weight	3.0 kg
MATERIALS           Master pack: Paper + Cardboard         0 g           Metal total         0 g           Paper         3 g           Paper + Cardboard total         1230 g           PE total         0 g           PE total         0 g           Plastic foil         0 g           Plastic foil         0 g           Plastic total         0 g           PS/FPS/HIPS total         0 g           PS/FPS/HIPS total         0 g           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantly in Master pack         1           SOUND AND NOISE         SOUND AND NOISE           Sound power level, quaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	LUBRICANTS	
MATERIALS           Master pack: Paper + Cardboard         0 g           Metal total         0 g           Paper         3 g           Paper + Cardboard total         1230 g           PE total         0 g           PE total         0 g           Plastic foil         0 g           Plastic foil         0 g           Plastic total         0 g           PS/FPS/HIPS total         0 g           PS/FPS/HIPS total         0 g           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantly in Master pack         1           SOUND AND NOISE         SOUND AND NOISE           Sound power level, quaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Power/fuel type	Battery
Metal total         0g           Paper         3 g           Paper + Cardboard total         1230 g           PE total         0g           PET total         108 g           Plastic foil         0g           Plastic rigid         0g           Pastic total         0g           PS/EPS/HIPS total         0g           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)		
Paper         3 g           Paper + Cardboard total         1230 g           PE total         0 g           PET total         10.8 g           Plastic foil         0 g           Plastic rigid         0 g           Plastic total         0 g           PS/EPS/HIPS total         0 g           Packaging         0 g           Packaging leight         207 mm           Packaging volume         1322 mm           Packaging volume         47.6 dm³           Packaging with         17 dmm           Quantity in Master pack         1           SOUND AND NOISE         5           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Master pack: Paper + Cardboard	0 g
Paper + Cardboard total         1230 g           PE total         0 g           PET total         10.8 g           Plastic foil         0 g           Plastic rigid         0 g           Plastic total         0 g           PS/EPS/HIPS total         0 g           PACKAGING         U           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         5           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Metal total	0 g
Paper + Cardboard total         1230 g           PE total         0 g           PET total         10.8 g           Plastic foil         0 g           Plastic rigid         0 g           Plastic total         0 g           PS/EPS/HIPS total         0 g           PACKAGING         U           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         5           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Paper	3 g
PET total         108 g           Plastic foil         0 g           Plastic rigid         0 g           Plastic total         0 g           PS/EPS/HIPS total         0 g           PACKAGING           Packaging height         207 mm           Packaging length         322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         90 dB(A)           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Paper + Cardboard total	1230 g
Plastic foil         0 g           Plastic rigid         0 g           Plastic total         0 g           PS/FPS/HIPS total         0 g           PACKAGING           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         5           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	PE total	Og
Plastic rigid         0 g           Plastic total         0 g           PS/EPS/HIPS total         0 g           PACKAGING         U           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         U           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	PET total	10.8 g
Plastic total         0 g           PS/EPS/HIPS total         0 g           PACKAGING         Understand           Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         Und power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Plastic foil	0 g
PS/EPS/HIPS total 0 0 g  PACKAGING  Packaging height 207 mm  Packaging length 322 mm  Packaging volume 47.6 dm³  Packaging width 174 mm  Quantity in Master pack 174 mm  Quantity in Master pack 175 mm  SOUND AND NOISE  Sound power level, guaranteed (LWA) 90 dB(A)  Sound power level, measured 88 dB(A)	Plastic rigid	Og
PACKAGING            Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         ***           Sound power level, guaranteed (LWA)         90 dB(A)           Sound power level, measured         88 dB(A)	Plastic total	0 g
Packaging height         207 mm           Packaging length         1322 mm           Packaging volume         47.6 dm³           Packaging width         174 mm           Quantity in Master pack         1           SOUND AND NOISE         USUBLE WIND WIND WIND WIND WIND WIND WIND WIND	PS/EPS/HIPS total	Og
Packaging length 1322 mm Packaging volume 47.6 dm³ Packaging width 174 mm Quantity in Master pack 17 mm  SOUND AND NOISE 1	PACKAGING	
Packaging volume47.6 dm³Packaging width174 mmQuantity in Master pack1SOUND AND NOISESound power level, guaranteed (LWA)90 dB(A)Sound power level, measured88 dB(A)	Packaging height	207 mm
Packaging width 174 mm Quantity in Master pack 1  SOUND AND NOISE  Sound power level, guaranteed (LWA) 90 dB(A) Sound power level, measured 88 dB(A)	Packaging length	1322 mm
Quantity in Master pack     1       SOUND AND NOISE     Sound power level, guaranteed (LWA)       Sound power level, measured     90 dB(A)       Sound power level, measured     88 dB(A)	Packaging volume	47.6 dm <sup>3</sup>
SOUND AND NOISE       Sound power level, guaranteed (LWA)     90 dB(A)       Sound power level, measured     88 dB(A)	Packaging width	174 mm
Sound power level, guaranteed (LWA) 90 dB(A) Sound power level, measured 88 dB(A)	Quantity in Master pack	1
Sound power level, measured 88 dB(A)	SOUND AND NOISE	
	Sound power level, guaranteed (LWA)	90 dB(A)
Sound pressure level at operators ear 74 dB(A)	Sound power level, measured	88 dB(A)
	Sound pressure level at operators ear	74 dB(A)

## **ACCESSORIES**

















HUSQVARNA X-GUARD BIO CHAINFOREST HELMET, CLASSIC OIL 580 75 43-01 537 65 76-01

PROTECTIVE GLASSES, CLEAR X HUSQVARNA ASPIRE™ P4A 18-544 96 37-01 B72 B72 970 60 09-01







HUSQVARNA ASPIRE™ P4A 18-C70 970 60 10-02

PROTECTIVE GLASSES, SUN X 544 96 37-03

GLOVES, TECHNICAL GRIP 529 88 03-07